

Literaturverzeichnis

- 1 Kochupillai N, Verma IC, Grewal MS, Remalingaswami Y: Down's syndrome and related abnormalities in an area of high background radiation in coastal Kerala. *Nature* 1976, 262, 60-61
- 2 Lyman GH, Lyman CG, Johnson W: Association of leukemia with radium groundwater contamination. *JAMA* 1985, 254, 621-626
- 3 Flodin U, Fredriksson M, Persson B, Hardell L: Background radiation, electrical work and some other exposures associated with acute myeloid leukemia in a case-referent study. *Arch Environ Health* 1986, 41, 77-84
- 4 Knox EG, Stewart AM, Gilman EA, Kneale GW: Background radiation and childhood cancers. *J Radiol Prot* 1988, 8, 9-18
- 5 Henshaw DL, Eatough JP & Richardson RB: Radon as a causative factor in induction of myeloid leukaemia and other cancers. *Lancet* 1990, 28, 1008-1012
- 6 Darby S, Hill D, Auvinen A, Barros-Dios JM et al.: Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. *BMJ* 2005, Jan. 29, 330 (7485) 223-228
- 7 WHO: Radon and cancer. Fact sheet N°291, September 2009
- 8 Körblein A: Zunahme von Krebs und Säuglingssterblichkeit mit der natürlichen Hintergrundstrahlung in Bayern. *Strahlentelex* 2003, 404/405 (17), 1-4
- 9 Kendall G, Murphy M: Natural environmental radiation and childhood cancer. *Environmental Radon Newsletter* 2007 (52), Childhood Cancer Research Group, University of Oxford
- 10 Kendall G, Little MP, Wakeford R: Numbers and proportion of leukemias in young people and adults induced by radiation of natural origin. *Leuk Res* 2011, 35, 1039-1045
- 11 Kendall G, Little MP, Wakeford R, Bunch KJ et al.: A record-based case-control study of natural background radiation and the incidence of childhood leukaemia and other cancers in Great Britain during 1980 – 2006. *Leukemia* 2013, 27, 3-9
- 12 Menzler S, Schaffrath-Rosario A, Wichmann HE, Kreienbrock L: Abschätzung des attributablen Lungenkrebsrisikos in Deutschland durch Radon in Wohnungen. *Ecomed* 2006
- 13 Gray A, Read S, McGale, P, Darby S.: Lung cancer deaths from indoor radon and the cost effectiveness and potential of policies to reduce them. *BMJ*, 2009, 338, a3110
- 14 Krewski D, Lubin JH, Zielinski JM, Alavanja M et al.: Residential Radon and Risk of Lung Cancer – a Combined Analysis of 7 North American Case-Control Studies. *Epidemiol* 2005, 16, 137-145
- 15 Huch R, Burkhard W: Kosmische Strahlenbelastung beim Fliegen, Risiko für die Schwangerschaft? *Perinat Med* 1992, 4, 67-69
- 16 Huch R: Fliegen während der Schwangerschaft. *Gynäkologe* 2001, 34, 401-407
- 17 Bundesamt für Strahlenschutz: Strahlenthemen – Höhenstrahlung und Fliegen, Salzgitter 2013 www.bfs.de
- 18 Berrington de Gonzalez A, Darby S: Risk of cancer from diagnostic X-rays: estimates for the UK and 14 other countries. *Lancet* 2004; 363(9406):345-351
- 19 Smith-Bindman R, Lipson J, Marcus R, Kim KP et al.: Radiation dose associated with common computed tomography examinations and the associated lifetime attributable risk of cancer. *Arch Intern Med* 2009, 169(22), 2078-2086
- 20 Berrington de Gonzales A, Mahesh M, Kim KP, Bhargavan M et al.: Projected cancer risks from computed tomographic scans performed in the United States in 2007. *Arch Intern Med* 2009, 169(22), 2071-2077
- 21 Doody MM, Lonstein JE, Stovall M, Hacker DG et al.: Breast cancer mortality after diagnostic radiography: findings from the U.S. Scoliosis Cohort Study. *Spine (Phila Pa 1976)* 2000, 25(16), 2052-2063
- 22 Pearce MS, Salotti JA, Little MP, McHugh K et al.: Radiation exposure from CT scans in childhood and subsequent risk of leukaemia and brain tumours: a retrospective cohort study. *Lancet* 2012, 380, 499-505
- 23 Heyes GJ, Mill AJ, Charles MW: Enhanced biological effectiveness of low energy X-rays and implications for the UK breast screening programme. *Br J Radiol* 2006, 79(939), 195-200
- 24 Memon A, Godward S, Williams D, Siddique I, Al-Saleh K: Dental x-rays and the risk of thyroid cancer: a case-control study. *Acta Oncol*, 2010, 49 (4), 447-453
- 25 Brenner DJ: Should we be concerned about the rapid increase in CT usage? *Rev Environ Health* 2010, 25 (1), 63-68
- 26 Brenner DJ, Hall EJ: Cancer risks from CT scans: Now we have data, what next? *Radiology* 2012, 265, 330-331
- 27 Schonfeld SJ, Lee C, Berrington de Gonzales A: Medical exposure to radiation and thyroid cancer. *Clin Oncol* 2011, 23 (4), 244-250


- 28 Pearce MS, Salotti JA, Little MP, Mc Hugh K et al.: Radiation exposure from CT scans in childhood and subsequent risk of leukaemia and brain tumors: a retrospective cohort study. *Lancet* 2012, 380 (9840), 499-505
- 29 Miglioretti DL, Johnson E, Williams A, Greenlee RT et al.: The use of computed tomography in pediatrics and the associated radiation exposure and estimated cancer risk. *JAMA Pediatr* 2013, Jun 10:1-8.doi: 10.1001/jamapediatrics.2013.311 (Expub ahead of print)
- 30 Mathews JD, Forsythe AV, Brady Z, Butler MW et al.: Cancer risk in 680.000 people exposed to computed tomography scans in childhood or adolescence: data linkage study of 11 million Australians. *BMJ* 2013, 346:12360.doi: 10.1136/bmj.12360
- 31 Morin Doody M, Lonstein JE, Stovall M, Hacker DG et al.: Breast cancer mortality after diagnostic radiography: findings from the U.S. Scoliosis Cohort Study. *Spine* 2000, 25, 2052-2063
- 32 Nienhaus A, Hensel N, Roscher G, Hubracht M et al.: Hormonelle, medizinische und lebensstilbedingte Faktoren und Brustkrebsrisiko. *Geburtsh Frauenheilk* 2002, 62, 242-249
- 33 Kuni H, Schmitz-Feuerhake I, Dieckmann H: Mammographiescreening – Vernachlässigte Aspekte der Strahlenrisikobewertung. *Gesundheitswesen* 2003, 65, 443-446
- 34 Hill DA, Preston-Martin S, Ross RK, Bernstein L: Medical radiation, family history of cancer, and benign breast disease in relation to breast cancer risk in young women. *Cancer Causes Control* 2002, 13, 711-718
- 35 Infante-Rivard C: Diagnostic X-rays, DNA repair genes and childhood acute lymphoblastic leukemia. *Health Phys* 2003, 85, 60-64
- 36 Preston-Martin S, Thomas DC, Yu MC, Henderson BE: Diagnostic radiography as a risk factor for chronic myeloid and monocytic leukaemia (CML). *Brit J Cancer* 1989, 59, 639-644
- 37 Wingren G, Hallquist A, Hardell L: Diagnostic X-ray exposure and female papillary thyroid cancer: a pooled analysis of two Swedish studies. *Eur J Cancer Prev.* 1997, 6, 550-556
- 38 Preston-Martin S, White SC: Brain and salivary gland tumors related to prior dental radiography: implications for current practice. *J Am Dental Ass* 1990, 120, 151-158
- 39 Neuberger JS, Brownson RC, Morantz RA, Chin TD: Association of brain cancer with dental X-rays and occupation in Missouri. *Cancer Detect Prev* 1991, 15, 31-34
- 40 Stewart A, Webb J, Hewitt D: A survey of childhood malignancies. *BMJ* 1958, 5086, 1459-1508
- 41 Kuni H, Schmitz-Feuerhake I, Dieckmann H: Mammographiescreening – Vernachlässigte Aspekte der Strahlenrisikobewertung. *Gesundheitswesen* 2003, 65, 443-446
- 42 Smith-Bindman R, Lipson J, Marcus R, Kim KP et al.: Radiation dose associated with common computed tomography examinations and the associated lifetime attributable risk of cancer. *Arch Intern Med* 2009, 169(22), 2078-2086
- 43 Heyes GJ, Mill AJ, Charles MW: Enhanced biological effectiveness of low energy X-rays and implications for the UK breast screening programme. *Br J Radiol* 2006, 79(939), 195-200
- 44 Pijpe A, Andrieu N, Easton DF, Kesminiene A et al.: Exposure to diagnostic radiation and risk of breast cancer among carriers of BRCA1/2 mutations: retrospective cohort study (GENE-RAD-RISK). *BMJ* 2012, 345, e5660
- 45 Stewart A, Webb J, Hewitt D: A survey of childhood malignancies. *BMJ* 1958, 5086, 1459-1508
- 46 Mangano J, Sherman J: Elevated In Vivo Strontium-90 from Nuclear Weapons Test Fallout among Cancer Decedents. *Int J Health Serv* 2011, 41, 137-158
- 47 Knapp HA: Iodine-131 in Fresh Milk and Human Thyroids Following a Single Deposition of Nuclear Test Fall-Out. *Nature* 1964, 202, 534-537
- 48 National Cancer Institute: Estimated exposure and thyroid doses received by the American people from iodine-131 fallout following Nevada atmospheric nuclear bomb tests. www.cancer.gov/i131/fallout/
- 49 Institute of Medicine: Exposure of the American people to Iodine-131 from Nevada nuclear-bomb tests. National Academy Press. 1999
- 50 Kassenova T: The lasting toll of Semipalatinsk's nuclear testing. *Bulletin of the Atomic Scientists*, 2009
- 51 Cardis E, Krewski D, Boniol M, Drozdovitch V et al.: Estimates of the cancer burden in Europe from radioactive fallout from the Chernobyl accident. *Int J Cancer* 2006, 119, 1224–1235
- 52 Körblein A, Küchenhoff H: Perinatal mortality in Germany following the Chernobyl accident. *Radiat Environ Biophys* 1997, 36(1), 3-7
- 53 Körblein A: Perinatal mortality in West Germany following atmospheric nuclear weapons tests. *Arch Environ Health* 2004, Nov, 59 (11), 604-9.
- 54 Körblein A: Strontium fallout from Chernobyl and perinatal mortality in Ukraine and Belarus. *Radiats Biol Radioecol* 2003, 43(2),197-202

- 55 Kaatsch P, Spix C, Schmiedel S, Schulze-Rath R et al.: Epidemiologische Studie zu Kinderkrebs in der Umgebung von Kernkraftwerken (KiKK-Studie). Vorhaben 3602S04334, Deutsches Kinderkrebsregister, Mainz, Herausgegeben vom Bundesamt für Strahlenschutz (BfS), Salzgitter, 2007.
- 56 Spycher BD, Feller M, Zwahlen M, Rösli M et al.: Childhood cancer and nuclear power plants in Switzerland: a census-based cohort study. *Int J Epidemiol* 2011, doi: 10.1093/ije/dyr115
- 57 Committee on Medical Aspects of Radiation in the Environment (COMARE): FOURTEENTH REPORT. Further consideration of the incidence of childhood leukaemia around nuclear power plants in Great Britain. Chairman: Professor A Elliott, 2011, http://www.comare.org.uk/press_releases/documents/COMARE14report.pdf
- 58 Bithell JF, Keegan TJ, Kroll ME, Murphy MF et al.: Childhood Leukaemia near British nuclear Installations: Methodological issues and recent results. *Radiat Prot Dosimetry* 2008, 1-7
- 59 Koerblein A, Fairlie I.: French Geocap study confirms increased leukemia risks in young children near nuclear power plants. *Int J Cancer* 2012, 131(12), 2970-1
- 60 Cardis E, Vrijheid M, Blettner M, Gilbert E et al.: The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: estimates of radiation-related cancer risks. *Radiat Res* 2007, 167, 396-416
- 61 Zielinski JM, Shilnikova N, Krewski D: Canadian National Dose Registry of Radiation Workers: overview of research from 1951 through 2007. *Int J Occup Med Environ Health* 2008, 21, 269-275
- 62 Wiesel A, Spix C, Mergenthaler A, Queißer-Luft A: Maternal occupational exposure to ionizing radiation and birth defects. *Radiat Environ Biophys* 2011, 50, 325-328
- 63 McKinney PA, Alexander FE, Cartwright RA, Parker L: Parental occupations of children with leukaemia in west Cumbria, north Humberside, and Gateshead. *BMJ* 1991, 302, 681-687
- 64 Dickinson HO, Parker L: Leukaemia and non-Hodgkin's lymphoma in children of male Sellafield radiation workers. *Int J Cancer* 2002, 99, 437-444
- 65 Richardson DB, Wing S, Schroeder J, Schmitz-Feuerhake I et al.: Ionizing radiation and chronic lymphocytic leukemia. *Environ Health Perspect* 2005, 113(1), 1-5
- 66 Möhner M, Lindtner M, Otten H, Gille H-G: Leukemia and Exposure to Ionizing Radiation Among German Uranium Miners. *Am J Ind Med* 2006, 49, 238-248
- 67 Hamblin TJ: Have we been wrong about ionizing radiation and chronic lymphocytic leukemia? *Leuk Res* 2008, 32(4), 523-525
- 68 Rericha V, Kulich M, Rericha R, Shore DL et al.: Incidence of leukemia, lymphoma, and multiple myeloma in Czech uranium miners: a case-cohort study. *Environ Health Perspect* 2006, 114(6), 818-822
- 69 Flodin U, Fredriksson M, Hardell L, Axelson O: Background radiation, electrical work and some other exposures associated with acute myeloid leukemias in a case-referent study. *Arch. Environ. Health* 1986, 41, 77-84
- 70 Knox EG, Stewart AM, Gilman EA, Kneale GW: Background radiation and childhood cancers. *J. Radiol. Prot.* 1988, 8, 9-18
- 71 Henshaw DL, Eatough JP & Richardson RB: Radon as a causative factor in induction of myeloid leukaemia and other cancers. *Lancet* 1990, 28, 1008-1012
- 72 Darby S, Hill D, Auvinen A, Barros-Dios JM et al.: Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. *Brit. Med. J.* 2005, Jan.29, 330 (7485) 223-228 WHO Radon and cancer. Fact sheet N°291, September 2009
- 73 Kendall G, Murphy M: Natural environmental radiation and childhood cancer. *Environmental Radon Newsletter* 2007 (52), Childhood Cancer Research Group, University of Oxford
- 74 Kendall G, Little MP, Wakeford R: Numbers and proportion of leukemias in young people and adults induced by radiation of natural origin. *Leuk Res* 2011, 35, 1039-1045
- 75 Menzler S, Schaffrath-Rosario A, Wichmann HE, Kreienbrock L: Abschätzung des attributablen Lungenkrebsrisikos in Deutschland durch Radon in Wohnungen. *Ecomed* 2006
- 76 Huch R, Burkhard W: Kosmische Strahlenbelastung beim Fliegen, Risiko für die Schwangerschaft? *Perinat Med* 1992, 4, 67-69
- 77 Brenner DJ: Should we be concerned about the rapid increase in CT usage? *Rev Environ Health* 2010, 25 (1), 63-68
- 78 Pearce MS, Salotti JA, Little MP, Mc Hugh K et al.: Radiation exposure from CT scans in childhood and subsequent risk of leukaemia and brain tumors: a retrospective cohort study. *The Lancet* 2012, 380 (9840), 499-505

- 79 Miglioretti DL, Johnson E, Williams A, Greenlee RT et al.: The use of computed tomography in pediatrics and the associated radiation exposure and estimated cancer risk. *JAMA Pediatr* 2013, Jun 10:1-8.doi: 10.1001/jamapediatrics.2013.311 (Expub ahead of print)
- 80 Morin Doody M, Lonstein JE, Stovall M, Hacker DG et. al.: Breast cancer mortality after diagnostic radiography: findings from the U.S. Scoliosis Cohort Study. *Spine* 2000, 25, 2052-2063
- 81 Nienhaus A, Hensel N, Roscher G, Hubracht M et. al.: Hormonelle, medizinische und lebensstilbedingte Faktoren und Brustkrebsrisiko. *Geburtsh. Frauenheilk.* 2002, 62, 242-249
- 82 Kuni H, Schmitz-Feuerhake I, Dieckmann H: Mammographiescreening – Vernachlässigte Aspekte der Strahlenrisikobewertung. *Gesundheitswesen* 2003, 65, 443-446
- 83 Infante-Rivard C: Diagnostic x rays, DNA repair genes and childhood acute lymphoblastic leukemia. *Health Phys.* 2003, 85, 60-64
- 84 Preston-Martin S, Thomas DC, Yu MC, Henderson BE: Diagnostic radiography as a risk factor for chronic myeloid and monocytic leukaemia (CML). *Brit. J. Cancer* 1989, 59, 639-644
- 85 Wingren G, Hallquist A, Hardell L: Diagnostic X-ray exposure and female papillary thyroid cancer: a pooled analysis of two Swedish studies. *Eur. J. Cancer Prev.* 1997, 6, 550-556
- 86 Preston-Martin S, White SC: Brain and salivary gland tumors related to prior dental radiography: implications for current practice. *J. Am. Dental. Ass.* 1990, 120, 151-158
- 87 Neuberger JS, Brownson RC, Morantz RA, Chin TD: Association of brain cancer with dental x-rays and occupation in Missouri. *Cancer Detect. Prev.* 1991, 15, 31-34
- 88 Cardis E, Vrijheid M, Blettner M, Gilbert E et. al.: The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: estimates of radiation-related cancer risks. *Radiat. Res.* 2007, 167, 396-416
- 89 Zielinski JM, Shilnikova N, Krewski D: Canadian National Dose Registry of Radiation Workers: overview of research from 1951 through 2007. *Int. J. Occ. Med. Environ. Health* 2008, 21, 269-275
- 90 Wiesel A, Spix C, Mergenthaler A, Queißer-Luft A: Maternal occupational exposure to ionizing radiation and birth defects. *Radiat. Environ. Biophys.*, 2011, 50, 325-328
- 91 Hillis DM: Life in the hot zone around Chernobyl, *Nature* 1996, 380, 665-708
- 92 Im Kontext: Lyman GH, Lyman CG, Johnson W: Association of leukemia with radium groundwater contamination. *J. Am. Med. Ass.* 1985, 254, 621-626
- 93 Imaizumi M, Usa T, Tominaga T, Neriishi K et al.: Radiation dose-response relationships for thyroid nodules and autoimmune thyroid diseases in Hiroshima and Nagasaki atomic bomb survivors 55-58 years after radiation exposure. *JAMA* 2006, 295(9), 1011-1022
- 94 Völzke H, Werner A, Wallaschofski H, Friedrich N et al.: Occupational exposure to ionizing radiation is associated with autoimmune thyroid disease. *J Clin Endocrinol Metab* 2005, 90(8), 4587-4592
- 95 Cardis E, Howe G, Ron E, Bebeshko V et al.: Cancer consequences of the Chernobyl accident: 20 years on. *J Radiol Prot* 2006, 26(2), 127-140
- 96 Hamilton TE, van Belle G, LoGerfo JP: Thyroid neoplasia in Marshall islanders exposed to nuclear fallout. *JAMA* 1987, 258, 629-636
- 97 Hamilton PG, Chiacchierini RP, Kaczmarek RG: A follow-up study of persons who had Iodine-131 and other diagnostic procedures during childhood and adolescence. U.S. Dept. Health and Human Services, Public Health Service, Rockville, Maryland 20857, August 1989
- 98 Mürbeth S, Rousarova M, Scherb H, Lengfelder E: Thyroid cancer has increased in the adult populations of countries moderately affected by Chernobyl fallout. *Med Sci Monit* 2004, 10, 300-306
- 99 Cardis E., Kesminiene A, Ivanov V, Malakhova I et al.: Risk of thyroid cancer after exposure to 131-I in childhood. *J Natl Cancer Inst* 2005, 97, 724-732
- 100 Preston-Martin S, White SC: Brain and salivary gland tumors related to prior dental radiography: implications for current practice. *J Am Dental Ass* 1990, 120, 151-158
- 101 Longstreth WTJr, Phillips LE, Drangsholt M, Koepsell TD et al.: Dental X-rays and the risk of intracranial meningioma: a population-based case-control study. *Cancer* 2004, 100, 1026-1034
- 102 Claus EB, Calvocoressi L, Bondy ML et al. Dental x-rays and risk of meningioma. *Cancer* 2012; 118: 4530-4537
- 103 Rodvall Y, Ahlbom A, Pershagen G, Nylander M et al.: Dental radiography after age 25 years, amalgam fillings and tumours of the central nervous system. *Oral Oncol* 1998, 34, 265-269
- 104 Zielinski JM, Ashmore P, Band P, Jiang H et al.: Low dose ionizing radiation exposure and cardiovascular disease mortality: cohort study based on Canadian national dose registry for radiation workers. *Int J Occup Med Environ Health* 2009, 22, 27-33

- 105 Little MP, Azizova TV, Bazyka D, Bouffler SD et al.: Systematic review and meta-analysis of circulatory disease from exposure to low-level ionizing radiation and estimates of potential population mortality risks. *Environ Health Perspect* 2012, 120, 1503-1511
- 106 Arizova TV, Muirhead CR, Druzhinina MB, Grigoryeva ES et al.: Cerebrovascular diseases in the cohort of workers first employed at Mayak PA in 1948-1958. *Radiat Res* 2010, 174, 851-864
- 107 McGeoghegan D, Binks K, Gilles M, Jones S et al.: The non-cancer mortality experience of male workers at British Nuclear Fuels plc, 1946-2005. *Int J Epidemiol* 2008, 37, 506-18
- 108 Lomat L, Galburt G, Quastel MR, Polyakov S et al.: Incidence of childhood disease in Belarus associated with the Chernobyl accident. *Environ. Health Persp* 1997, 105 (Suppl. 6), 1529-1532
- 109 Zalutskaya A, Mokhort T, Garmaev D, Bornstein SR: Did the Chernobyl incident cause an increase in Typ 1 diabetes mellitus incidence in children and adolescents? *Diabetologia* 2004, 47, 147-148
- 110 Loganovsky K, Havenaar JM, Tintle NL, Guey LT et al.: The mental health of clean-up workers 18 years after the Chernobyl accident. *Psychol Med* 2008, 38, 481-488
- 111 Bromet EJ, Havenaar JM, Guey LT: A 25 year retrospective review of the psychological consequences of the Chernobyl accident. *Clin Oncol (R. Coll. Radiol.)*, 2011, 23, 297-305
- 112 Schmitz-Feuerhake I, Pflugbeil S: Strahleninduzierte Katarakte (Grauer Star) als Folge berufsmäßiger Exposition und beobachtete Latenzzeiten. *Strahlentelex* 2006, 456-457, 1-7
- 113 Chodick G, Bekiroglu N, Hauptmann M, Alexander BH et al.: Risk of cataract after exposure to low doses of ionizing radiation: a 20-year prospective cohort study among US radiologic technologists. *Am J Epidemiol* 2008, 168(6), 620-631
- 114 Hall P, Adami H-O, Trichopoulos D, Pedersen NL et al.: Effect of low doses of ionising radiation in infancy on cognitive function in adulthood: Swedish population based cohort study. *BMJ* 2004, 328(7430), 19
- 115 Heiervang KS, Mednick S, Sundet K, Rund BR: Effect of low dose ionizing radiation exposure in utero on cognitive function in adolescence. *Scand J Psychology* 2010, 51(3), 210-215
- 116 Heiervang KS, Mednick S, Sundet K, Rund BR: The Chernobyl accident and cognitive functioning: a study of Norwegian adolescents exposed in utero. *Dev Neuropsychol* 2010, 35, 643-655
- 117 Körblein A, Küchenhoff H: Perinatal mortality in Germany following the Chernobyl accident. *Radiat Environ Biophys* 1997, 36(1), 3-7
- 118 Körblein A: Perinatal mortality in West Germany following atmospheric nuclear weapons tests. *Arch Environ Health* 2004, Nov, 59 (11), 604-9.
- 119 Körblein A: Strontium fallout from Chernobyl and perinatal mortality in Ukraine and Belarus. *Radiats Biol Radioecol* 2003, 43(2),197-202
- 120 Busby C, Lengfelder E, Pflugbeil S, Schmitz-Feuerhake I: The evidence of radiation effects in embryos and fetuses exposed to Chernobyl fallout and the question of dose response. *Medicine, Conflict and Survival* 2009, 25, 20-40
- 121 Møller AP, Bonisoli-Alquati A, Rudolfson G, Mousseau TA: Chernobyl birds have smaller brains. 2011 *PloS ONE* 6 (2): e16862.doi:10.1371/journal.pone.0016862
- 122 Møller AP, Mousseau TA: Efficiency of bio-indicators for low-level radiation under field conditions. *Ecol Indicat* 2010, doi:10.1016/j.ecolind.2010.06.013
- 123 Bonisoli-Alquati A, Voris A, Mousseau TA, Møller AP et al.: DNA damage in barn swallows (*hirundo rustica*) from the Chernobyl region detected by use of the comet assay. *Comparative Biochemistry and Physiology* 2010, 151 (3), 271-277
- 124 Mousseau TA, Møller AP: Chernobyl and Fukushima: Differences and Similarities – a biological perspective. *Transactions of the American Nuclear Society* 2012, 107, 200
- 125 Sperling K, Pelz J, Wegner RD, Schulzke I et al.: Frequency of trisomy 21 in Germany before and after the Chernobyl accident. *Biomed Pharmacother* 1991, 45, 255-262
- 126 Hillis DM: Life in the hot zone around Chernobyl, *Nature* 1996, 380, 665-708
- 127 Liaginskaia AM, Tukov AR, Osipov VA, Prokhorova ON: Genetic effects in the liquidators of consequences of Chernobyl nuclear power accident. *Radiats Biol Radioecol* 2007, 47, 188-195 (in Russ.)
- 128 Schmitz-Feuerhake I: Genetisch strahleninduzierte Fehlbildungen. *Strahlentelex* 2013, 644-645(27), 1-5
- 129 Scherb H, Weigelt E, Brüske-Hohlfeld I: European stillbirth proportions before and after the Chernobyl accident. *Int J Epidemiol* 1999, 28(5), 932-40
- 130 Scherb H, Weigelt E: Congenital Malformation and Stillbirth in Germany and Europe Before and After the Chernobyl Nuclear Power Plant Accident. *Environ Sci & Pollut Res* 2003, Special Issue 1, 117–125

- 131 Scherb H, Weigelt E: Spaltgeburtenrate in Bayern vor und nach dem Reaktorunfall in Tschernobyl. *Mund-, Kiefer- und Gesichtschirurgie* 2004, 8 106-110(5)
- 132 Scherb H, Voigt K: Trends in the human sex odds at birth in Europe and the Chernobyl Nuclear Power Plant accident, *Reproductive Toxicology* 2007, 23, 593-599
- 133 Kusmierz R, Voigt K, Scherb H: Is the human sex odds at birth distorted in the vicinity of nuclear facilities (NF)? A preliminary geo-spatial-temporal approach. Klaus Greve / Armin B. Cremers (Eds.): *EnviroInfo 2010 Integration of Environmental Information in Europe. Proceedings of the 24th International Conference on Informatics for Environmental Protection Cologne / Bonn, Germany, Shaker Verlag, Aachen 2010, 616-626*
- 134 Scherb H, Voigt K: The human sex odds at birth after the atmospheric atomic bomb tests, after Chernobyl, and in the vicinity of nuclear facilities. *Environ Sci Pollut Res Int* 2011, 18(5), 697-707
- 135 Scherb H, Sperling K: Heutige Lehren aus dem Reaktorunfall von Tschernobyl. *Naturwissenschaftliche Rundschau*, 2011, 64 (5), 229-239
- 136 Sperling K, Neitzel H, Scherb H: Evidence for an increase in trisomy 21 (Down syndrome) in Europe after the Chernobyl reactor accident. *Genet Epidemiol* 2012, 36(1), 48-55
- 137 Scherb H, Kusmierz R, Voigt K: The human sex odds at birth in France – a preliminary geo-spatial-temporal approach in the vicinity of three selected nuclear facilities (NF): Centre de Stockage (CdS) de l'Aube, Institute Laue-Langevin (ILL) de Grenoble, and Commissariat à l'Énergie Atomique (CEA) de Saclay/Paris. Wittmann J, Müller M: *Simulation in Umwelt- und Geowissenschaften – Workshop Leipzig. Shaker Verlag, Aachen 2013, 23-38*
- 138 Ziegłowski V, Hemprich A: Facial cleft birth rate in former East Germany before and after the reactor accident in Chernobyl. *Mund Kiefer Gesichtschir* 1999, 3 (4), 195–9
- 139 Sperling K, Pelz J, Wegner RD, Dorries A et al.: Significant increase in trisomy 21 in Berlin nine months after the Chernobyl reactor accident: temporal correlation or causal relation? *BMJ* 1994, 309,158–162.
- 140 Zatsepin P, Verger P, Robert-Gnansia E, Gagniere B et al.: Cluster of Down's syndrome cases registered in January 1987 in the Republic of Belarus as a possible effect of the Chernobyl accident. *Int J Rad Med* 2004 (Special Issue), 6, 57–71.
- 141 Liaginskaia AM, Tukov AR, Osipov VA, Prokhorova ON: Genetic effects in the liquidators of consequences of Chernobyl nuclear power accident. *Radiats Biol Radioecol* 2007, 47, 188-195 (in Russ.)
- 142 Wertelecki W: Malformations in a Chernobyl-impacted region. *Pediatrics* 2010, 125, 836-843
- 143 Schmitz-Feuerhake I: Genetisch strahleninduzierte Fehlbildungen. *Strahlentelex* 2013, 644-645(27), 1-5
- 144 Dubrova YE: Monitoring of radiation-induced germline mutation in humans. *Swiss Med Wkly* 2003, 133, 474-478
- 145 Scherb H, Voigt K: Strahleninduzierte genetische Effekte nach Tschernobyl und in der Nähe von Nuklearanlagen. *Helmholtz Zentrum München, Neuherberg, Okt. 2013.*
- 146 Lazjuk G, Verger P, Gagnière B, Kravchuk Zh et al.: The congenital anomalies registry in Belarus: a tool for assessing the public health impact of the Chernobyl accident. *Reprod Toxicol* 2003, 17, 659-666
- 147 Pearce MS, Salotti JA, Little MP, Mc Hugh K et al.: Radiation exposure from CT scans in childhood and subsequent risk of leukaemia and brain tumors: a retrospective cohort study. *Lancet* 2012, 380 (9840), 499-505
- 148 Mathews JD, Forsythe AV, Brady Z, Butler MW et al.: Cancer risk in 680.000 people exposed to computed tomography scans in childhood or adolescence: data linkage study of 11 million Australians. *BMJ* 2013, 346:12360.doi: 10.1136/bmj.12360
- 149 Bauer S, Gusev BI, Pivina LM, Apsalikov KN et al.: Radiation exposure due to local fallout from Soviet atmospheric nuclear weapons testing in Kazakhstan: solid cancer mortality in the Semipalatinsk historical cohort, 1960-1999. *Radiat Res.* 2005, 164(4 Pt 1), 409-419
- 150 Körblein A, Hoffmann W: Background radiation and cancer mortality in Bavaria: an ecological analysis. *Arch Environ Occup Health* 2006, 61(3),109-114
- 151 Cardis E, Vrijheid M, Blettner M, Gilbert E et al.: The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: estimates of radiation-related cancer risks. *Radiat Res* 2007, 167, 396-416
- 152 World Health Organization (WHO): Health risk assessment from the nuclear accident after the 2011 Great East Japan Earthquake and Tsunami based on a preliminary dose estimation. 2013, 32
- 153 Bauer S, Gusev BI, Pivina LM, Apsalikov KN et al.: Radiation exposure due to local fallout from Soviet atmospheric nuclear weapons testing in Kazakhstan: solid cancer mortality in the Semipalatinsk historical cohort, 1960-1999. *Radiat Res.* 2005, 164(4 Pt 1), 409-419

- 
- 154 Körblein A, Hoffmann W: Background radiation and cancer mortality in Bavaria: an ecological analysis. Arch Environ Occup Health 2006, 61(3), 109-114
- 155 ICRP: Radiation and your patient: A Guide for medical practitioners. A web module produced by Committee 3 of the International Commission on Radiological Protection (ICRP).
http://www.icrp.org/docs/rad_for_gp_for_web.pdf
- 156 Little MP, Azizova TV, Bazyka D, Bouffler SD et al.: Systematic review and meta-analysis of circulatory disease from exposure to low-level ionizing radiation and estimates of potential population mortality risks. Environ Health Perspect 2012, 120, 1503-1511
- 157 Shimizu Y, Kodama K, Nishi N, Kasagi F et al.: Radiation exposure and circulatory disease risk: Hiroshima and Nagasaki atomic bomb survivor data, 1950-2003. BMJ 2010, 340, b5349
- 158 Straume T: High-energy gamma rays in Hiroshima and Nagasaki: implications for risk and WR. Health Physics 1995, 69, 954-956
- 159 Frankenberg D, Kelnhofer K, Bär K, Frankenberg-Schwager M: Enhanced neoplastic transformation by mammography X rays relative to 200 kVp X rays: indication for a strong dependence on photon energy of the RBEM for various end points. Radiat Res 2002, 157, 99-105
- 160 Jacob P, Ruhm W, Walsh L, Blettner M et al.: Is cancer risk of radiation workers larger than expected? Occup Environ Med 2009, 66(12), 789-796
- 161 World Health Organization (WHO): Health risk assessment from the nuclear accident after the 2011 Great East Japan Earthquake and Tsunami based on a preliminary dose estimation. 2013, 32
- 162 Watanabe T, Miyao M, Honda R, Yamada Y: Hiroshima survivors exposed to very low doses of A-bomb primary radiation showed a high risk for cancers. Environ Health Prev Med 2008, 13, 264-270
- 163 Stewart AM, Kneale GW: A-bomb survivors: factors that may lead to a reassessment of the radiation hazard. Int J Epidemiol 2000, 29, 708-14
- 164 Yamasaki JN, Schull WJ: Perinatal loss and neurological abnormalities among children of the Atomic bomb. Nagasaki and Hiroshima revisited, 1949 to 1989. JAMA 1990, 264, 605-609
- 165 Gefahrstoffverordnung (GefStoffV) in der Fassung vom 15.07.2013 www.baua.de/de/Themen-von-A-Z/Gefahrstoffe/Rechtstexte/pdf/Gefahrstoffverordnung.pdf?blob=publicationFile&v=12
- 166 Bekanntmachung zu Gefahrstoffen 910 (BekGS 910) <http://www.baua.de/de/Themen-von-A-Z/Gefahrstoffe/TRGS/pdf/Bekanntmachung-910.pdf?blob=publicationFile&v=10>
- 167 Kalberlah F, Bloser M, Wachholz C: Toleranz- und Akzeptanzschwelle für Gesundheitsrisiken am Arbeitsplatz. Dortmund: Bundesanstalt für Arbeitsschutz und Arbeitsmedizin 2005. 174 Seiten, Projektnummer: F 2010
- 168 Leitfaden zur Quantifizierung von Krebsrisikozahlen bei Exposition gegenüber krebserzeugenden Gefahrstoffen für die Grenzwertsetzung am Arbeitsplatz 2008, Fachbeitrag <http://www.baua.de/de/Publikationen/Fachbeitraege/Gd34.pdf?blob=publicationFile&v=7>
- 169 Weitere Literatur zu Risiko-Akzeptanz: [http://www.dguv.de/dguv/ifa/Fachinfos/Exposition-Risiko-Beziehung-\(ERB\)/Grundlagen-des-Risikokzeptes/index.jsp](http://www.dguv.de/dguv/ifa/Fachinfos/Exposition-Risiko-Beziehung-(ERB)/Grundlagen-des-Risikokzeptes/index.jsp)



Bestellmöglichkeit in der IPPNW-Geschäftsstelle:

IPPNW – Deutsche Sektion der Internationalen Ärzte für die Verhütung des Atomkriegs,
Ärzte in sozialer Verantwortung e.V.

Körtestr. 10 · 10967 Berlin

Tel.: +49/ (0) 30 - 68 80 74 - 0

Fax: +49/ (0) 30 - 683 81 66

ippnw@ippnw.de · www.ippnw.de

Online abrufbar unter: www.ippnw.de/strahlung

© IPPNW e.V., 15. Januar 2014

Alle Rechte vorbehalten. Nachdruck nur mit Genehmigung möglich.

Redaktion: Reinhold Thiel (V.i.S.d.P.), Dr. Winfrid Eisenberg, Henrik Paulitz

Kontakt: paulitz@ippnw.de

Spendenkonto:

IPPNW. Konto-Nr. 2222210, Bank für Sozialwirtschaft. BLZ 100 205 00. Betr.: „IPPNW-Informationen“